

Serial No.: 08/956,5/8 In The Matter of the Application Of: Date Mailed: 03/30/99 The following has been received in the	Due D	ate:
□ Design Patent Application Pages □ Plant Patent Application Pages □ Prov. Patent Application Pages □ Utility Patent Application Pages □ Information Disclosure Statement □ Form PTO-1449 and Copies of Actor References Contained Thereon □ Form PTO-1533 (Not. of Missing Parts) □ Certificate Re: Sequence Listing □ Sequence Listing in Paper Copy and on Computer Readable Diskette □ Form PTO-1858 (Issue Fee Transmittal) □ Form PTO-1050 (Cert. of Correction) □ Maintenance Fee Transmittal Form □ Reexamination Request □ PCT Application Pages □ Chapter II Demand	☐ Trademark Application ☐ ITU Trademark Application ☐ Statement of Use ☐ Trademark Renewal Application ☐ Section 8 & 15 Affidavits ☐ Specimens ☐ Declaration/Oath/Affidavits ☐ Drawings: Sheet(s) ☐ Formal ☐ Informal ☐ Power of Attorney ☐ Form PTO-1594/1595 ☐ Assignment ☐ Small Entity Declaration ☐ Amendment/Response ☐ Extension of Time Req.: Month(s) ☐ Notice of Appeal ☐ Petition	FOR PTO USE



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Sherry Leonard et al.

Serial No.:

08/956,518

Filed:

10/23/97

Group No.: Examiner:

1645 R. Hayes

Entitled:

ALPHA-7 NICOTINIC RECEPTOR

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Assistant Commissioner for Patents Washington, D.C. 20231

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Dated: March 30, 1999

y. <u>17 ana 1</u>

Sir:

Enclosed please find an Information Disclosure Statement and Form PTO-1449, including copies of the references contained thereon, for filing in the U.S. Patent and Trademark Office.

The Commissioner is hereby authorized to charge any additional fee or credit overpayment to our Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated:

March 30, 1999

Kamrin T. MacKnight

Registration No. 38,230

MEDLEN & CARROLL, LLP 220 Montgomery Street, Suite 2200 San Francisco, California 94104 415/705-8410



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Sherry Leonard et al.

PRADE Serial No.:

08/956,518

10/23/97

Group No.: 1645
Examiner: R. Hayes

Filed: Entitled:

ALPHA-7 NICOTINIC RECEPTOR

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents Washington, D.C. 20231

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231, on March 30, 1999.

By:


Marlene Garitano

Sir:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application.

The following printed publications are referred to in the body of the specification:


- U.S. Patent No. 5,589,466 to Felgner et al.;
- U.S. Patent No. 5,580,859 to Felgner et al.;
- U.S. Patent No. 5,459,127 to Felgner et al.;
- U.S. Patent No. 5,399,346 to Anderson et al.;
- U.S. Patent No. 5,322,770 to Gelfand;
- U.S. Patent No. 5,124,263 to Temin *et al.*;
- U.S. Patent No. 4,980,289 to Temin *et al.*;
- U.S. Patent No. 4,965,188 to Mullis;
- U.S. Patent No. 4,946,778 to Ladner *et al.*;
- U.S. Patent No. 4,861,719 to Miller;
- U.S. Patent No. 4,683,202 to Mullis;



- U.S. Patent No. 4,650,764 to Temin et al.;
- Adler et al., "Normalization by Nicotine of Deficient Auditory Sensory Gating in the Relatives of Schizophrenics," Biol. Psych. 32: 607-616 (1992);
- Adler et al., "Normalization of Auditory Physiology by Cigarette Smoking in Schizophrenic Patients," Am. J. Psychol. 150: 1856-1861 (1993);
- Adler et al., "Neurophysiological Studies of Sensory Gating in Rats: Effects of Amphetamine, Phencyclidine, and Haloperidol," Biol. Psychiat. 21: 787-798 (1986);
- Adler et al., "Neurophysiological Evidence for a Defect in Neuronal Mechanisms Involved in Sensory Gating in Schizophrenia," Biol. Psychiat. 17: 639-654 (1982);
- Albertsen et al., "Construction and characterization of a yeast artificial chromosome library containing seven haploid human genome equivalents,"
 Proc. Natl. Acad. Sci. 87: 4256-4260 (1990);
- Alkondon and Albuquerque, "Diversity of Nicotinic Acetylcholine Receptors in Rat Hippocampal Neurons. I. Pharmacological and Functional Evidence for District Structural Subtypes," J. Pharm. Ex. Ther. 265: 1455-1473 (1993);
- Amar et al., "Agonist pharmacology of the neuronal α7 nicotinic receptor expressed in Xenopus oocytes," FEBS 327: 284-288 (1993);
- Anderson and Young, "Quantitative Filter Hybridization," in Nucleic Acid
 Hybridization A Practical Approach, Hames and Higgins (eds.), pp. 73-109,
 IRL Press (1985);
- Barnes, "PCR Amplification of up to 35-kb DNA with high fidelity and high yield from λ bacteriophage templates," Proc. Natl. Acad. Sci. U.S.A. 91: 2216-2220 (1994);
- Beard et al., "Transcription Mapping of Mouse Adenovirus Type 1 Early Region 3," Virology, pp. 75-81 (1990);
- Beeson et al., "The human muscle nicotinic acetylcholine receptor α-subunit exists as two isoforms: a novel exon," EMBO J. 9: 2101-2106 (1990);

- Bender et al., "Evidence that the Packaging Signal of Moloney Murine Leukemia Virus Extends into the gag Region," J. Virol. 61: 1639-1646 (1987);
- Bernstein et al., "Gene Transfer with Retrovirus Vectors," Genet. Eng. 7: 235-261 (1985);
- Bessis et al., "Negative regulatory elements upstream of a novel exon of the neuronal nicotinic acetylcholine receptor of α2 subunit gene," Nucl. Acids Res.
 21: 2185-2192 (1993);
- Bickford-Wimer et al., "Auditory Sensory Gating in Hippocampal Neurons: A
 Model System in the Rat," Biol. Psychiat. 27: 183-192 (1990);
- Bickford and Wear, "Restoration of sensory gating of auditory evoked response by nicotine in fimbria-fornix lesioned rats," *Brain Res.* 705: 235-240 (1995);
- Biedler et al., "Multiple Neurotransmitter Synthesis by Human Neuroblastoma Cell Lines and Clones," Cancer Res. 38: 3751-3757 (1978);
- Blount and Merlie, "Mutational Analysis of Muscle Nicotinic Acetylcholine
 Receptor Subunit Assembly," J. Cell Biol. 111: 2613-2622 (1990);
- Boshart et al., "A Very Strong Enhancer is Located Upstream of an Immediate Early Gene of Human Cytomegalovirus," Cell 41:521-530 (1985);
- Boutros and Overall, "Replication and Extension of P50 Findings in Schizophrenia," Clin. Electroencephalog. 22: 40-45 (1991);
- Braff et al., "Gating and Habituation of the Startle Reflex in Schizophrenic Patients," Arch. Gen. Psychiat. 49: 206-215 (1992);
- Breier et al., "National Institute of Mental Health Longitudinal Study of Chronic Schizophrenia, Prognosis and Predictors of Outcome," Arch. Gen. Psychiat., 48: 239-246 (1991);
- Brownstein et al., "Isolation of Single-Copy Human Genes from a Library of Yeast Artificial Chromosome Clones," Science 244: 1348-1351 (1989);
- Burke et al., "Cloning of Large Segments of Exogenous DNA into Yeast by Means of Artificial Chromosome Vectors," Science 236: 806-812 (1987);
- Calzolari et al., "Psychiatric Disorder in a Familial 15;18 Translocation and Sublocalization of Myelin Basic Protein to 18q22.3," Am. J. Med. Genet. 67: 154-161 (1996);

- Cameron *et al.*, "Dendritic Cells Exposed to Human Immunodeficiency Virus Type-1 Transmit a Vigorous Cytophathic Infection to CD4⁺ T Cells," *Science* 257: 383-387 (1992);
- Casaubon et al., "The Gene Responsible for a Severe Form of Peripheral Neuropathy and Agenesis of the Corpus Callosum Maps to Chromosome 15q,"
 Am. J. Hum. Genet. 58: 28-34 (1996);
- Chamberlin et al., "New RNA Polymerase from Escherichia coli infected with Bacteriophage T7," Nature 228:227-231 (1970);
- Chomczynski and Sacchi, "Single-Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Chloroform Extraction," *Anal. Biochem.* 162: 156-159 (1987);
- Chumakov et al., "Continuum of overlapping clones spanning the entire human chromosome 21q," Nature 359: 380-386 (1992);
- Clarke, "Prader-Willi Syndrome and Psychoses," *Brit. J. Psychiat.* 163: 680-684 (1993);
- Cole et al., "The EBV-Hybridoma Technique and its Application to Human Lung Cancer," in Monoclonal Antibodies and Cancer Therapy, Reisfeld et al. (eds.), pp. 77-96, Alan R. Liss, Inc. (1985);
- Conti-Tronconi et al., "Brain and muscle nicotinic acetylcholine receptors are different but homologous proteins," Proc. Natl. Acad. Sci. U.S.A. 82: 5208-5212 (1985);
- Coon et al., "Search for Mutations in the β1 GABA_A Receptor Subunit Gene in Patients with Schizophrenia," Am. J. Med. Genet. 54: 12-20 (1994);
- Coon et al., "Use of a Neurophysiological Trait in Linkage Analysis of Schizophrenia," Biol. Psychiat. 34: 277-289 (1993);
- Cooper et al., "Pentameric structure and subunit stoichiometry of a neuronal nicotinic acetylcholine receptor," *Nature* 350: 235-238 (1991);
- Cote et al., "Generation of human monoclonal antibodies reactive with cellular antigens," Proc. Natl. Acad. Sci. U.S.A. 80: 2026-2030 (1983);



- Cullum et al., "Neurophysiological and neuropsychological evidence for attentional dysfunction in schizophrenia," Schizophrenia Res. 10: 131-141 (1993);
- Curiel et al., "High-Efficiency Gene Transfer Mediated by Adenovirus Coupled to DNA-Polylysine Complexes," Hum. Gene Ther. 3: 147-154 (1992);
- De Amicis et al., "Reaction Time Crossover as a Marker of Schizophrenia and of Higher Functioning," J. Nerv. Ment. Dis. 174: 177-179 (1986);
- deLeon et al., "Schizophrenia and Smoking: An Epidemiological Survey in a State Hospital," Am. J. Psychiat. 152: 453-455 (1995);
- Den-Dunnen et al., "Topography of the Duchenne Muscular Dystrophy (DMD)
 Gene: FIGE and cDNA Analysis of 194 Cases Reveals 115 Deletions and 13
 Duplications," Am. J. Hum. Genet. 45: 835-847 (1989);
- Deneris et al., "Genes Encoding Neuronal Nicotinic Acetylcholine Receptors,"
 Clin. Chem. 35: 731-737 (1989);
- Dijkema et al., "Cloning and expression of the chromosomal immune interferon gene of the rat," EMBO J. 4:761-767 [1985];
- Dominguez del Toro et al., "Immunocytochemical Localization of the α7
 Subunit of the Nicotinic Acetylcholine Receptor in the Rat Central Nervous
 System," J. Comp. Neurol. 349: 325-342 (1994);
- Dracopoli et al., Current Protocols in Human Genetics, John Wiley & Sons,
 Inc., New York, New York (1994) (Will provide Title and Copyright pages
 at a later date should the Examiner desire a copy);
- Eaton, "Epidemiology of Schizophrenia," Epidemiol. Rev. 7: 105-126 (1985);
- Elgoyhen et al., "α9: An Acetylcholine Receptor with Novel Pharmacological Properties Expressed in Rat Cochlear Hair Cells," Cell 79: 705-715 (1994);
- EP 453243;
- EP 178220;
- Erlich (ed.), *PCR Technology*, Stockton Press (1989);

- Endicott and Spitzer, "A Diagnostic Interview, The Schedule for Affective Disorders and Schizophrenia," *Arch. Gen. Psychiat.* 35: 837-844 (1978);
- Erwin et al., "Midlatency Auditory Evoked Responses in Schizophrenia," Biol. Psychiat. 30: 430-442 (1991);
- Felgner and Ringold, "Cationic liposome-mediated transfection," *Nature* 337: 387-388 (1989);
- Felgner et al., "Lipofection: A highly efficient, lipid-mediated DNA-transfection procedure," Proc. Natl. Acad. Sci. U.S.A. 84: 7413-7417 (1987);
- Freedman et al., "α-Bungarotoxin Binding to Hippocampal Interneurons:
 Immunocytochemical Characterization and Effects on Growth Factor
 Expression," J. Neurosci. 13: 1965-1975 (1993);
- Freedman et al., "Elementary neuronal dysfunctions in schizophrenia," Schiz. Res. 4: 233-243 (1991);
- Freedman et al., "Schizophrenia and Nicotinic Receptors," Harvard Rev. Psychiat. 2: 179-192 (1994);
- Freedman et al., "Evidence in Postmortem Brain Tissue for Decreased Numbers in Hippocampal Nicotinic Receptors in Schizophrenia," Biol. Psychiat. 38: 22-33 (1995);
- Frohman, Amplifications 5: 11 (1990) (Reference could not obtained at this time. Will provide reference at a later date should the Examiner desire a copy);
- Galzi et al., "Functional Architecture of the Nicotinic Acetylcholine Receptor: From Electric Organ to Brain," Ann. Rev. Pharmacol. 31: 37-72 (1991);
- Goff et al., "Cigarette Smoking in Schizophrenia: Relationship to
 Psychopathology and Medication Side Effects," Am. J. Psychiat. 149: 1189-1194 (1992);
- Goff et al., "Neural Origins of Long Latency Evoked Potentials Recorded from the Depth and from the Cortical Surface of the Brain in Man," Prog. Clin.

 Neurophysiol. 7: 126-145 (1980);

- Goldman et al., "Members of a Nicotinic Acetylcholine Receptor Gene Family
 Are Expressed in Different Regions of the Mammalian Central Nervous
 System," Cell 48: 965-973 (1987);
- Gorman et al., "The Rous sarcoma virus long terminal repeat is a strong promoter when introduced into a variety of eukaryotic cells by DNA-mediated transfection," Proc. Natl. Acad. Sci. USA 79: 6777-6781 [1982];
- Graham and van der Eb, "A New Technique for the Assay of Infectivity of Human Adenovirus 5 DNA," Virology 52: 456-467 [1973];
- Green, "Biochemical Mechanisms of Constitutive and Regulated Pre-mRNA Splicing," Ann. Rev. Cell. Biol. 7: 559-599 (1991);
- Griffith et al., "Effects of sound intensity on a midlatency evoked response to repeated auditory stimuli in schizophrenic and normal subjects,"

 Psychophysiology 32: 460-466 (1995);
- Hamera et al., "Alcohol, Cannabis, Nicotine, and Caffeine Use and Symptom Distress in Schizophrenia," J. Nerv. Mental Dis. 183: 559-565 (1995);
- Harlow and Lane, Antibodies: A Laboratory Manual, Cold Spring Harbor
 Laboratory Press, Cold Spring Harbor, New York;
- Hershman et al., "GABA_B antagonists diminish the inhibitory gating of auditory response in the rat hippocampus," *Neurosci. Lett.* 190: 133-136 (1995);
- Holzman et al., "A Single Dominant Gene Can Account for Eye Tracking
 Dysfunctions and Schizophrenia in Offspring of Discordant Twins," Arch. Gen.

 Psychiat. 45: 641-647 (1988);
- Hu and Worton, "Partial Gene Duplication as a Cause of Human Disease,"
 Hum. Mutat. 1: 3-12 (1992);
- Huse et al., "Generation of a Large Combinatorial Library of the
 Immunoglobulin Repertoire in Phage Lambda," Science 246: 1275-1281 (1989);
- Hyman, "Schizophrenia," in Scientific American Medicine, 13 VII: 1-5, Dale and Federman (eds.), New York, New York (1994);
- Judd et al., "Sensory Gating Deficits in Schizophrenia: New Results," Am. J. Psychiat. 149: 488-493 (1992);

- Kacian et al., "A Replicating RNA Molecule Suitable for a Detailed Analysis
 of Extracellular Evolution and Replication," Proc. Natl. Acad. Sci. USA 69:
 3038-3042 [1972];
- Kaplitt et al., "Expression of a Functional Foreign Gene in Adult Mammalian
 Brain following in Vivo Transfer via a Herpes Simplex Virus Type 1 Defective
 Viral Vector," Mol. Cell. Neurosci. 2: 320-330 (1991);
- Kim et al., "Use of the human elongation factor 1α promoter as a versatile and efficient expression system," Gene 91:217-223 [1990];
- Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity," *Nature* 256: 495-497 [1975];
- Kozbor et al., "The production of monoclonal antibodies from human lymphocytes," *Immun. Today* 4: 72-79 (1983);
- Kruglyak et al., "Parametric and Nonparametric Linkage Analysis: A Unified
 Multipoint Approach," Am. J. Hum. Genet. 58: 1347-1363 (1996);
- Kuo et al., "Efficient Gene Transfer Into Primary Murine Lymphocytes
 Obviating the Need for Drug Selection," Blood 82: 845-852 (1993);
- Lamond, "The Spliceosome," BioEssays 15: 595-603 (1993);
- La Salle et al., "An Adenovirus Vector for Gene Transfer into Neurons and Glia in the Brain," Science 259: 988-990 (1993);
- Lathrop et al., "Strategies for multilocus linkage analysis in humans," Proc. Natl. Acad. Sci. U.S.A. 81: 3443-3446 (1984);
- Lebkowski et al., "Adeno-Associated Virus: a Vector System for Efficient
 Introduction and Integration of DNA into a Variety of Mammalian Cell Types,"
 Mol. Cell. Biol. 8: 3988-3996 (1988);
- Lehrman et al., "Duplication of Seven Exons in LDL Receptor Gene Caused by Alu-Alu Recombination in a Subject with Familial Hypercholesterolemia," Cell 48: 827-835 (1987);
- Lindstrom et al., "Neuronal Nicotinic Receptor Subtypes," Ann. NY Acad. Sci.
 757: 100-116 (1996);
- Lukas and Bencherif, "Heterogeneity and Regulation of Nicotinic Acetylcholine Receptors," *Int. Rev. Neurobiol.* 34: 25-131 (1992);

- Luntz-Leybman *et al.*, "Cholinergic gating of response to auditory stimuli in rat hippocampus," *Brain. Res.* 587: 130-136 (1992);
- Machy et al., "Gene transfer from targeted liposomes to specific lymphoid cells by electroporation," Proc. Natl. Acad. Sci. U.S.A. 85: 8027-8031 (1988);
- Mäkelä et al., "Whole-head mapping of middle-latency auditory evoked magnetic fields," Electroencephalogr. Clin. Neurophysiol. 92: 414-421 (1994);
- Maniatis et al., "Regulation of Inducible and Tissue-Specific Gene Expression,"
 Science 236: 1237-1244 (1987);
- Mann et al., "Construction of a Retrovirus Packaging Mutant and Its Use to Produce Helper-Free Defective Retrovirus," Cell 33: 153-159 (1983);
- Markowitz et al., "A Safe Packaging Line for Gene Transfer: Separating Viral Genes on Two Different Plasmids," J. Virol. 62: 1120-1124 (1988);
- Marks and Collins, "Characterization of Nicotine Binding in Mouse Brain and Comparison with the Binding of α-Bungarotoxin and Quinuclidinyl Benzilate,"
 Mol. Pharmacol. 22: 554 (1982);
- Marks et al., "Nicotinic Binding Sites in Rat and Mouse Brain: Comparison of Acetylcholine, Nicotine, and α-Bungarotoxin," Mol. Pharmacol. 30: 427-437 (1986);
- Matter-Sadzinski et al., "Neuronal specificity of the α7 nicotinic acetylcholine receptor promoter develops during morphogenesis of the central nervous system," EMBO J. 11: 4529-4538 (1992);
- Maue et al., "Neuron-Specific Expression of the Rat Brain Type II Sodium Channel Gene Is Directed by Upstream Regulatory Elements," Neuron 4: 223-231 (1990);
- Melissari et al., "Mitral valve prolapse in a case of Marfan syndrome with congenital cardiac disease, chronic obstructive pulmonary disease and schizophrenia," Pathologica 87: 78-81 (1995);
- Miller et al., "A simple salting out procedure for extracting DNA from human nucleated cells," Nucl. Acids Res. 16: 1215 (1988);
- Miller and Rosman, "Improved Retroviral Vectors for Gene Transfer and Expression," BioTechniques 7: 980-990 (1992);

- Miller and Freeman, "The Activity of Hippocampal Interneurons and Pyramidal Cells During The Response of the Hippocampus to Repeated Auditory Stimuli," Neurosci. 69: 371-381 (1995);
- Mizushima and Nagata, "pEF-BOS, a powerful mammalian expression vector,"
 Nucl. Acids. Res. 18:5322 (1990);
- Nagamoto et al., "Sensory Gating in Schizophrenics and Normal Controls:
 Effects of Changing Stimulation Interval," Biol. Psychiat. 25: 549-561 (1989);
- Nagamoto et al., "Gating of Auditory P50 in Schizophrenics: Unique Effects of Clozapine," Biol. Psychiat. 40: 181-188 (1996);
- Newland et al., "Functional and non-functional isoforms of the human muscle acetylcholine receptor," J. Physiol. 489: 767-778 (1995);
- Nielsen et al., "Peptide nucleic acids (PNAs): Potential anti-sense and anti-gene agents," Anticancer Drug Des. 8:53-63 (1993);
- Orr-Urtreger *et al.*, "Cloning and Mapping of the Mouse α7-Neuronal Nicotinic Acetylcholine Receptor," *Genomics* 26: 399-402 (1995);
- Ott, Analysis of Human Genetic Linkage, Johns Hopkins University Press, Baltimore (1991);
- Ott, "Computer-simulation methods in human linkage analysis," *Proc. Natl. Acad. Sci. U.S.A.* 86: 4175-2178 (1989);
- Patrick et al., "Molecular Biology of Nicotinic Acetylcholine Receptors," Ann.
 NY Acad. Sci. 505: 194 (1987);
- Pauly et al., "Glucocorticoid Regulation of Sensitivity to Nicotine," in *The Biology of Nicotine: Current Research Issues*, Lippiello et al. (eds.), pp. 121-139, Raven Press, New York (1992);
- PCT WO 96/25508;
- PCT WO 96/17823;
- PCT WO 95/21931;
- PCT WO 95/18863;
- PCT WO 96/15244;
- PCT WO 95/07358;
- PCT WO 95/02697;

- PCT WO 94/26914;
- PCT WO 94/21807;
- PCT WO 93/03367;
- PCT WO 92/05263;
- PCT WO 90/02806;
- PCT WO 90/13678;
- PCT WO 89/07150;
- Peng et al., "Human α7 Acetylcholine Receptor: Cloning of the α7 Subunit from the SH-SY5Y Cell Line and Determination of Pharmacological Properties of Native Receptors and Functional α7 Homomers Expressed in Xenopus Oocytes," Mol. Pharm. 45: 546-554 (1994);
- Pulver et al., "Follow-Up of a Report of a Potential Linkage for Schizophrenia on Chromosome 22q12-q13.1: Part 2," Am. J. Med. Genet. 54: 44-50 (1994);
- Research Disclosure 371005A;
- Risch, "Genetic Linkage and Complex Diseases, With Special Reference to Psychiatric Disorders," Genet. Epidemiol. 7: 3-16 (1990);
- Rollins et al., "Cellular Localization of α-Bungarotoxin Binding and α7 mRNA in the Hippocampus Related to Auditory Gating in the Awake, Behaving Rat,"

 Soc. Neurosci. Abst. 22: 1272 (1996);
- Saksela *et al.*, "Human immunodeficiency virus type 1 mRNA expression in peripheral blood cells predicts disease progression independently of the numbers of CD4⁺ lymphocytes," *Proc. Natl. Acad. Sci. U.S.A.* 91: 1104-1108 (1994);
- Saksela et al., "High Viral Load in Lymph Nodes and Latent Human
 Immunodeficiency Virus (HIV) in Peripheral Blood Cells of HIV-1 Infected
 Chimpanzees," J. Virol. 67: 7423-7427 (1993);
- Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd ed., pp. 7.39 7.52, 9.31-9.58, 16.6-16.15, Cold Spring Laboratory Press, New York (1989);
- Samulski et al., "A Recombinant Plasmid from Which an Infectious Adeno-Associated Virus Genome Can Be Excised In Vitro and Its Use To Study Viral Replication," J. Virol. 61: 3096-3101 (1987);

- Samulski et al., "Helper-Free Stocks of Recombinant Adeno-Associated Viruses: Normal Integration Does Not Require Viral Gene Expression," J. Virol. 63: 3822-3828 (1989);
- Sauerwald et al., "The 5'-Flanking Region of the Synapsin I Gene," J. Biol.
 Chem. 265: 14932-14937 (1990);
- Schmid, "Alu: Structure, Origin, Evolution, Significance and Function of One-Tenth of Human DNA," *Prog. Nucl. Acid Res.* 53: 283-319 (1996);
- Schoepfer et al., "Brain α-Bungarotoxin Binding Protein cDNAs and MAbs Reveal Subtypes of This Branch of the Ligand-Gated Ion Channel Gene Superfamily," Neuron 5: 35-48 (1990);
- Séguéla et al., "Molecular Cloning, Functional Properties, and Distribution of Rat Brain α7: A Nicotinic Cation Channel Highly Permeable to Calcium," J. Neurosci. 13: 596-604 (1993);
- Sham *et al.*, "Segregration analysis of complex phenotypes: an application to schizophrenia and auditory P300 latency," *Psychiat. Genet.* 4: 29-38 (1994);
- Siegel et al., "Deficits in Sensory Gating in Schizophrenic Patients and Their Relatives, Evidence Obtained With Auditory Evoked Responses," Arch. Gen. Psychiat. 41: 607-612 (1984);
- Silverman et al., "Evidence of a Locus for Schizophrenia and Related Disorders on the Short Arm of Chromosome 5 in a Large Pedigree," Am. J. Med. Genet.
 67: 162-171 (1996);
- Sirota et al., "Schizophrenia and Marfan Syndrome," Br. J. Psychiat. 157: 433-436 (1990);
- Spitzer et al., "Research Diagnostic Criteria, Rationale and Reliability," Arch. Gen. Psychiat. 35: 773-782 (1978);
- Stratford-Perricaudet et al., "Widespread Long-term Gene Transfer to Mouse Skeletal Muscles and Heart," J. Clin. Invest. 90: 626-630 (1992);
- Tsuang et al., "Long-term Outcome of Major Psychoses I. Schizophrenia and Affective Disorders Compared with Psychiatrically Symptom-Free Surgical Conditions," Arch. Gen. Psychiat. 36: 1295-1301 (1979);

- Tsuang et al., "Genotypes, Phenotypes, and the Brain, A Search for Connections in Schizophrenia," Brit. J. Psychiat. 163: 299-307 (1993);
- Uetsuki et al., "Isolation and Characterization of the Human Chromosomal Gene for Polypeptide Chain Elongation Factor-1α," J. Biol. Chem. 264:5791
 [1989];
- Ulmer et al., "Heterologous Protection Against Influenza by Injection of DNA Encoding a Viral Protein," Science 259: 1745-1748 (1993);
- Vinogradova et al., "Do Semantic Priming Effects Correlate with Sensory
 Gating in Schizophrenia," Biol. Psychiat. 39: 821-824 (1996);
- Vinogradova, in *The Hippocampus 2: Neurophysiology and Behavior*, Issacson and Pribram (eds.), pp. 3-69, Plenum Press, New York, New York (1975);
- von Heijne, "A new method for predicting signal sequence cleavage sites,"

 Nucl. Acids Res. 14: 4683-4690 (1986);
- Voss et al., "The role of enhancers in the regulation of cell-type-specific transcriptional control," *Trends Biochem. Sci.* 11:287-289 [1986];
- Wada et al., "Distribution of Alpha2, Alpha3, Alpha4, and Beta2 Neuronal Nicotinic Receptor Subunit mRNAs in the Central Nervous System: A Hybridization Histochemical Study in the Rat," J. Compar. Neurol. 284: 314-335 (1989);
- Waldo et al., "Codistribution of a Sensory Gating Deficit and Schizophrenia in Multi-affected Families," Psychiat. Res. 39: 257-268 (1991);
- Waldo et al., "Auditory sensory gating, hippocampal volume, and catecholamine metabolism in schizophrenics and their siblings," Schizophr. Res. 12: 93-106 (1991);
- Wang et al., "Evidence for a susceptibility locus for schizophrenia on chromosome 6pter-p22," Nature Genet. 10: 41-46 (1995);
- Williams et al., "Introduction of foreign genes into tissues of living mice by DNA-coated microprojectiles," Proc. Natl. Acad. Sci. U.S.A. 88: 2726-2730 (1991);
- Wilson et al., "Habituation of Human Limbic Neuronal Response to Sensory Stimulation," Exp. Neurol. 84: 74-97 (1984);

- Wilson et al., "Hepatocyte-directed Gene Transfer in Vivo Leads to Transient Improvement of Hypercholesterolemia in Low Density Lipoprotein Receptordeficient Rabbits," J. Biol. Chem. 267: 963-967 (1992);
- Wonnacott, "α-Bungarotoxin Binds to Low-Affinity Nicotine Binding Sites in Rat Brain," J. Neurochem. 47: 1706-1712 (1986);
- Wu and Wallace, "The Ligation Amplification Reaction (LAR) -- Amplification
 of Specific DNA Sequences Using Sequential Rounds of Template-Dependent
 Ligation," Genomics 4:560-569 [1989];
- Wu and Wu, "Receptor-mediated Gene Delivery and Expression in Vivo," J. Biol. Chem. 263: 14621-14624 (1988);
- Wu and Wu, "Receptor-mediated in Vitro Gene Transformation by a Soluble DNA Carrier System," J. Biol. Chem. 262: 4429-4432 (1987); and
- Zhang et al., "Neuronal Acetylcholine Receptors That Bind α-Bungarotoxin with High Affinity Function as Ligand-Gated Ion Channels," Neuron 12: 167-177 (1994).

Applicants have become aware of the following printed publications which may be material to the examination of this application:

Doucette-Stamm et al., "Cloning and Sequence of the Human α7 Nicotinic Acetylcholine Receptor," Drug Dev. Res. 30: 252-256 (1993) disclose the isolation and sequence of clones corresponding to the human α₇ nicotinic acetylcholine receptor. Unlike the presently claimed invention, Doucette-Stamm et al. do not disclose isolated fragments of the human α₇ sequence, encoded by SEQ ID Nos. 85-103 of the presently claimed invention. Furthermore, Doucette-Stamm et al. do not disclose methods for detection of a polynucleotide encoding α₇ in a biological sample, comprising the step of hybridizing fragments of the α₇ sequence encoded by SEQ ID Nos. 9-11 and 84-103 of the presently claimed invention to nucleic acid of the biological sample; nor do Doucette-Stamm et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α₇,

PATENT Attorney Docket No. UTC-3042

using at least two primers selected from SEQ ID Nos. 1-8 and 12-83 of the presently claimed invention;

- Chini et al., "Molecular Cloning and Chromosomal Localization of the Human α 7-Nicotinic Receptor Subunit Gene (CHRNA7)," Genomics 19: 379-381 (1994) disclose nucleotide and amino acid sequences for the human α 7 neuronal nicotinic subunit for chromosome 15, band q14 region. Unlike the presently claimed invention, Chini et al. do not disclose isolated fragments of the α_7 sequence encoded by SEQ ID Nos. 84-103 of the presently claimed invention. Furthermore, Chini et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, comprising the step of hybridizing fragments of the α_7 sequence encoded by SEQ ID Nos. 9-11 and 84-103 of the presently claimed invention to nucleic acid of the biological sample; nor do Chini et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 , using at least two primers selected from SEQ ID Nos. 1-8 and 12-83 of the presently claimed invention;
 - Garcia-Guzman et al., " α -Bungarotoxin-sensitive Nicotinic Receptors on Bovine Chromaffin Cells: Molecular Cloning, Functional Expression and Alternative Splicing of the α 7 Subunit," Eur. J. Neuorosci. 7: 647-655 (1995) disclose that α -bungarotoxin-sensitive acetylcholine receptors from bovine chromaffin cells contain an α_7 subunit homologous to those previously cloned from chicks, rats and humans, and show alternative splicing of the α_7 subunit transcript. Garcia-Guzman et al. do not disclose isolated fragments of the α_7 sequence encoded by SEQ ID Nos. 84-103 of the presently claimed invention. Furthermore, Garcia-Guzman et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, comprising the step of hybridizing fragments of the α_7 sequence encoded by SEQ ID Nos. 9-11 and 84-103 of the presently claimed invention to nucleic acid of the biological sample; nor do Garcia-Guzman et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ,

using at least two primers selected from SEQ ID Nos. 1-8 and 12-83 of the presently claimed invention;

- Anand and Lindstrom, "Nucleotide sequence of the human nicotinic acetylcholine receptor $\beta 2$ subunit gene," *Nuc. Acids Res.* 18: 4272 (1990) disclose the nucleotide sequence of human acetylcholine receptor β_2 subunit gene. Unlike the presently claimed invention, Anand and Lindstrom do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Anand and Linstrom do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Anand and Linstrom disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Deneris et al., "Primary Structure and Expression of β2: A Novel Subunit of Neuronal Nicotinic Acetylcholine Receptors," Neuron 1: 45-54 (1988) disclose the β2 subunit of the neuronal receptor family. Unlike the presently claimed invention, Deneris et al. do not disclose isolated nucleotide sequences encoding a portion of the human α₇ nicotinic receptor. Furthermore, Deneris et al. do not disclose methods for detection of a polynucleotide encoding α₇ in a biological sample, nor do Deneris et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α₇;
 - Fornasari et al., "Structural and Functional Characterization of the Human $\alpha 3$ Nicotinic Subunit Gene Promoter," Mol. Pharmacol. 51: 250-261 (1997) disclose the structural and functional features of the human α_3 nicotinic receptor subunit promoter, and investigate the tissue-specific activity of the human α_3 gene 5' regulatory sequences. Unlike the presently claimed invention, Fornasari et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Fornasari et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Fornasari et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ; and

Fornasari et al., "Molecular cloning of human neuronal nicotinic receptor α 3-subunit," Neurosci. Lett. 111: 351-356 (1990) disclose a protein showing high homology to rat α_3 neuronal nicotinic receptor, and identify this protein as the human α_3 -nicotinic subunit. Unlike the presently claimed invention, Fornasari et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Fornasari et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Fornasari et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 .

Applicants have included the following publications in which the inventors are coauthors. These publications, while not prior art, have been included for completeness:

- Gault et al., "Genomic Organization and Partial Duplication of the Human α7
 Neuronal Nicotinic Acetylcholine Receptor Gene (CHRNA7), Genomics 52:
 173-185 (1998) disclose the cloning, sequencing, and characterization of a
 putative promoter 5' of the translation start in exon 1 of the human α₇ neuronal
 nicotinic acetyl receptor gene;
- Leonard et al., "Linkage of a chromosome 15 locus to a neurophysiological deficit in schizophrenia," Am. J. Human Genet. 59: A225 (1996) investigate an inhibitory neuronal mechanism which regulates response to auditory stimuli, and suggest that the α₇ neuronal nicotinic receptor is a candidate gene in this pathway. Unlike the presently claimed invention, Leonard et al. do not disclose isolated nucleotide sequences encoding a portion of the human α₇ nicotinic receptor. Furthermore, Leonard et al. do not disclose methods for detection of a polynucleotide encoding α₇ in a biological sample, nor do Leonard et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α₇;
- Breese et al., "Comparison of the Regional Expression of Nicotinic Acetylcholine Receptor α7 mRNA and [125]-α-bungarotoxin binding in Human Postmortem Brain," J. Comp. Neurol. 387: 385-398 (1997) compare the expression of α₇ mRNA and the localization of bungarotoxin binding sites in

human brain. Unlike the presently claimed invention, Breese et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Breese et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Breese et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;

- Leonard et al., "Genomic Structure of the Human α 7 Neuronal Nicotinic Acetylcholine Receptor Subunit," Abstracts, Society for Neuroscience, 27th Annual Meeting, October 25-30 (1997) disclose the genomic structure for the human α_7 gene (i.e., exon/intron borders, promoter, and 3'-UT sequence). Unlike the presently claimed invention, Leonard et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Leonard et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Leonard et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Freedman et al., "Linkage of a neurophysiological deficit in schizophrenia to a chromosome 15 locus," Proc. Natl. Acad. Sci. U.S.A. 94: 587-592 (1997) disclose that a defect in a neuronal mechanism which regulates response to auditory stimuli is linked to a dinucleotide polymorphism at chromosome 15q13-14, the site of the α_7 nicotinic receptor. Unlike the presently claimed invention, Freedman et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Freedman et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Freedman et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Logel et al., "Expression of High and Low Affinity Neuronal Nicotinic
 Receptors in Tissues of Neural Crest Origin," Abstracts, Society for
 Neuroscience, 27th Annual Meeting, October 25-30 (1997) investigate the
 expression of neuronal nicotine receptor subunits in cells of neural crest origin,
 and suggest that specific subunits of the neuronal nicotinic receptors are present

in peripheral tissues of neural crest origin. Unlike the presently claimed invention, Logel *et al.* do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Logel *et al.* do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Logel *et al.* disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;

- Breese et al., "Abnormal Regulation of High Affinity Nicotinic Receptor Binding in Schizophrenics," Abstracts, Society for Neuroscience, 27th Annual Meeting, October 25-30 (1997) disclose the possibility of an alteration in the regulation of high affinity nicotinic receptor expression by nicotine use in schizophrenia. Unlike the presently claimed invention, Breese et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Breese et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Breese et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Gault et al., "Contig construction across the 15q14 schizophrenia linkage region and candidate gene characterization of the partially duplicated α 7 nicotinic receptor," Am. J. Human Genet. 63: A249 (1998) disclose the assembly of a contig across the 15q14 schizophrenia linkage region, which includes the α_7 nicotinic acetylcholine receptor gene, and investigate this region's linkage to the schizophrenia phenotype. Unlike the presently claimed invention, Gault et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Gault et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Gault et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Leonard et al., "Additional evidence for a chromosome 15 locus in schizophrenia: Analysis of affected sibpairs from the NMH genetics initiative,"
 Am. J. Human Genet. 63: A297 (1998) investigate the presence of a dinucleotide-repeat marker, D15S1360, containing the coding region of α₇

neuronal nicotinic acetylcholine receptor gene in affected sibpairs from the NIMH genetics initiative. Unlike the presently claimed invention, Leonard et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Leonard et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Leonard et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;

- Leonard et al., "Further Investigation of a Chromosome 15 Locus in Schizophrenia: Analysis of Affected Sibpairs From the NIMH Genetics Initiative," Am. J. Med. Genet. 81: 308-312 (1998) disclose that analysis of affected sibpairs from the NIMH Genetics Initiative shows a significant proportion of D15S1360 alleles shared identical-by-descent, and gives support for the involvement of this chromosomal locus in the genetic transmission of schizophrenia. Unlike the presently claimed invention, Leonard et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Leonard et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Leonard et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Zetterström et al., "Polymorphisms at the Calcitonin/CGRP- α Gene Locus: Investigation of Possible Associations with Neurological or Psychiatric Disease," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998) investigate possible associations of polymorphisms (i.e., single nucleotide polymorphisms, deletion and missense mutation) with neurological or psychiatric diseases such as bipolar affective disorder, Parkinson's disease and schizophrenia. Unlike the presently claimed invention, Zetterström et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Zetterström et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Zetterström et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;

- Drebing et al., "Expression of the Human α 7 Neuronal Nicotinic Acetylcholine Receptor and a Partial Gene Duplication," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998) disclose that human α_7 neuronal nicotinic receptor can be detected in cycloheximide treated immortalized lymphocytes by ectopic PCR. Unlike the presently claimed invention, Drebing et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Drebing et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Drebing et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Leonard et al., "Genomic Organization and Partial Duplication of the Human α 7 Neuronal Nicotinic Acetylcholine Receptor Subunit Gene," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998) disclose the cloning, sequencing, and characterization of a putative promoter 5' of the translation start in exon 1 of the human α_7 neuronal nicotinic acetyl receptor gene. Unlike the presently claimed invention, Leonard et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Leonard et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Leonard et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Dudek et al., "Expression in Human Brain of Novel Exons Associated with a Partial Duplication of the α 7 Neuronal Nicotinic Receptor," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998) disclose that proximal to the full-length human α_7 neuronal nicotinic receptor subunit gene, exons 5 to 10 have been duplicated with intervening intron sequences, and four novel exons A, B, C and D were found 5' to exon 5 in the duplication clones. Unlike the presently claimed invention, Dudek et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Dudek et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Dudek et al. disclose

- methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Breese et al., "Abnormal Regulation of the High Affinity Nicotinic Receptors in Schizophrenia," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998) characterize [3 H]-epibatidine, a novel nicotinic receptor ligand in human postmortem brain, and give support that an abnormality in the regulation of the high affinity neuronal nicotinic receptors may be involved in the neuropathophysiology of schizophrenia through studies comparing nicotinic receptor binding in the cortex and caudate areas. Unlike the presently claimed invention, Breese et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Breese et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Breese et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ;
- Lee et al., "The Effect of Nicotine and Haloperidol on High Affinity Nicotinic Receptors and Dopamine D2 Receptors in the Rat Brain," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998) disclose that haloperidol has no effect on nicotine induced upregulation of nicotinic binding in rat, and suggest that decreased nicotine binding in brains of schizophrenic smokers is not due to chronic treatment with typical neuroleptics. Unlike the presently claimed invention, Lee et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Lee et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Lee et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 ; and
- Adler et al., "Schizophrenia, Sensory Gating, and Nicotinic Receptors,"

 Schizophrenia Bulletin 24: 189-202 (1998) summarize findings implicating the α₇-nicotinic receptor in schizophrenia, and discuss implications for the pathogenesis of schizophrenia that arise from studies of α₇-nicotinic receptor effects on cell growth and differentiation. Unlike the presently claimed

PATENT Attorney Docket No. UTC-3042

invention, Adler et al. do not disclose isolated nucleotide sequences encoding a portion of the human α_7 nicotinic receptor. Furthermore, Adler et al. do not disclose methods for detection of a polynucleotide encoding α_7 in a biological sample, nor do Adler et al. disclose methods for amplification of nucleic acid from a sample suspected of containing nucleic acid encoding α_7 .

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: March 29, 1999

Kamrin T. MacKnight Registration No. 38,230

MEDLEN & CARROLL, LLP 220 Montgomery Street, Suite 2200 San Francisco, California 94104 415/705-8410 FORM PTO-1449 U.S. Department of Commerce Attorney Docket No.: UTC-03042 Serial No.: 08/956,518 (Modified) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT Applicant: Sherry Leonard et al. (Use Several Sheets If Necessay) Filing Date: 10/23/97 Group Art Unit: 1645 (37 CFR § 1.98(b)) U.S. PATENT DOCUMENTS Serial Patent Number Examiner Cite Land Date Applicant / Patentee Class Subclass Filing Date Initials No. 1 5,589,466 12/31/96 Felgner et al. 1/26/95 2 5,580,859 12/3/96 Felgner et al. 3/18/94 3 5,459,127 10/17/95 Felgner et al. 9/16/93 4 5,399,346 3/21/95 Anderson et al. 3/30/94 5 5,322,770 6/21/94 Gelfand 12/22/89 6 5,124,263 6/23/92 Temin et al. 1/12/89 7 4,980,289 12/25/90 Temin et al. 4/27/87 8 4,965,188 10/23/90 Mullis et al. 6/17/87 9 4,946,778 8/7/90 Ladner et al. 1/19/89 10 4,861,719 8/29/89 Miller 4/25/86 11 4,683,202 7/28/87 Mullis 10/25/85 12 4,683,195 7/28/87 Mullis et al. 2/7/86 13 4,650,764 3/17/87 Temin et al. 3/26/84 FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS Translation Document **Publication Date** Country / Patent Office Class Subclass Number Yes No WO 96/25508 14 8/22/96 France 15 WO 96/17823 6/13/96 France 16 WO 95/21931 8/17/95 France 17 WO 95/18863 7/13/95 France 18 WO 96/15244 5/23/96 United States 19 WO 95/07358 3/16/95 United States 20 WO 95/02697 1/26/95 France 21 WO 94/26914 11/24/94 France 22 WO 94/21807 9/29/94 Great Britain 23 WO 93/03367 2/18/93 United States 24 WO 92/05263 4/2/92 Great Britain 25 WO 90/02806 3/22/90 United States 26 WO 90/13678 11/15/90 United States 27 WO 89/07150 8/10/89 United States 28 EP 0453243A2 10/23/91 European Patent Office 29 EP 0178220 B1 4/16/86 European Patent Office

EXAMINER:

Examiner:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date Considered:

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UTC-03042

Serial No.: 08/956,518

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

Applicant: Sherry Leonard et al.

		(Use Several Sheets If Necessary)		
(37 CFR § 1.98(b)))		Filing Date: 10/23/97	Group Art Unit: 1645
IPE		OTHER DOCUMENTS (Including Author, Title, Da	ate, Relevant Pages, Place of Publication)	
70	S. S.	Adler et al., " Normalization by Nicotine of Deficient Auditory (1992);	Sensory Gating in the Relatives of Schize	ophrenics," Biol. Psych. 32: 607-61
MAY 1 3 ZUUZ	31 💆	Adler et al., "Normalization of Auditory Physiology by Cigarette Smoking in Schizophrenic Patients," Am. J. Psychol. 150: 1856-1861 (1993):		
ter B	\$2 B2	Adler et al., "Neurophysiological Studies of Sensory Gating in Psychiat. 21: 787-798 (1986);	Rats: Effects of Amphetamine, Phencyclic	line, and Haloperidol," <i>Biol</i> .
410	33	Adler et al., "Neurophysiological Evidence for a Defect in Neu Psychiat. 17: 639-654 (1982);	oronal Mechanisms Involved in Sensory G	ating in Schizophrenia," Biol.
	34	Albertsen et al., "Construction and characterization of a yeast a equivalents," Proc. Natl. Acad. Sci. 87: 4256-4260 (1990);	artificial chromosome library containing se	ven haploid human genome
	35	Alkondon and Albuquerque, "Diversity of Nicotinic Acetylchol Functional Evidence for District Structural Subtypes," J. Pharm		s. I. Pharmacological and
	36	Amar et al., "Agonist pharmacology of the neuronal α7 nicotin	nic receptor expressed in Xenopus oocytes,	" FEBS 327: 284-288 (1993);
	37	Anderson and Young, "Quantitative Filter Hybridization," in No. 73-109, IRL Press (1985);	ucleic Acid Hybridization A Practical App	roach, Hames and Higgins (eds.),
	38	Barnes, "PCR Amplification of up to 35-kb DNA with high fid U.S.A. 91: 2216-2220 (1994);	elity and high yield from λ bacteriophage	templates," Proc. Natl. Acad. Sci.
	39	Beard et al., "Transcription Mapping of Mouse Adenovirus Ty	pe 1 Early Region 3," Virology, pp. 75-81	(1990);
	40	Beeson et al., "The human muscle nicotinic acetylcholine recept (1990);	otor α-subunit exists as two isoforms: a no	vel exon," <i>EMBO J.</i> 9: 2101-2106
	41	Bender et al., "Evidence that the Packaging Signal of Moloney Murine Leukemia Virus Extends into the gag Region," J. Virol. 61: 1639-1646 (1987); Bernstein et al., "Gene Transfer with Retrovirus Vectors," Genet. Eng. 7: 235-261 (1985); Bessis et al., "Negative regulatory elements upstream of a novel exon of the neuronal nicotinic acetylcholine receptor of α2 subunit gene," Nucl. Acids Res. 21: 2185-2192 (1993); Bickford-Wimer et al., "Auditory Sensory Gating in Hippocampal Neurons: A Model System in the Rat," Biol. Psychiat. 27: 183-192 (1990); Bickford and Wear, "Restoration of sensory gating of auditory evoked response by nicotine in fimbria-fornix lesioned rats," Brain Res. 705 235-240 (1995);		
	42			
17	43			
	44			
	45			
	46	Biedler et al., "Multiple Neurotransmitter Synthesis by Human	Neuroblastoma Cell Lines and Clones," Co	ancer Res. 38: 3751-3757 (1978);
	47	Blount and Merlie, "Mutational Analysis of Muscle Nicotinic Acetylcholine Receptor Subunit Assembly," J. Cell Biol. 111: 2613-2622 (1990);		
	48	Boshart et al., "A Very Strong Enhancer is Located Upstream (1985);	of an Immediate Early Gene of Human Cy	ytomegalovirus," Cell 41:521-530
	49	Boutros and Overall, "Replication and Extension of P50 Findin	gs in Schizophrenia," Clin. Electroencepho	alog. 22: 40-45 (1991);
	50	Braff et al., "Gating and Habituation of the Startle Reflex in Sc	hizophrenic Patients," Arch. Gen. Psychia	t. 49: 206-215 (1992);
	51	Breier et al., "National Institute of Mental Health Longitudinal Arch. Gen. Psychiat., 48: 239-246 (1991);	Study of Chronic Schizophrenia, Prognosis	s and Predictors of Outcome,"
	52	Brownstein et al., "Isolation of Single-Copy Human Genes from (1989);	n a Library of Yeast Artificial Chromosom	ne Clones," Science 244: 1348-1351
	53	Burke et al., "Cloning of Large Segments of Exogenous DNA into Yeast by Means of Artificial Chromosome Vectors," Science 236: 806-812 (1987); Calzolari et al., "Psychiatric Disorder in a Familial 15;18 Translocation and Sublocalization of Myelin Basic Protein to 18q22.3," Am. J. Med. Genet. 67: 154-161 (1996);		
	54			
Examiner:			Date Considered:	
		al citation considered. Draw line through citation if not in confe		6.11. 6

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UTC-03042

Serial No.: 08/956,518

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)		Applicant: Sherry Leonard et al.	
(37 CFR § 1.98(b))	(Use Several Sileets II Necessary)	Filing Date: 10/23/97	Group Art Unit: 1645
(5)	OTHER DOCUMENTS (Including Author, Title, Da	ate, Relevant Pages, Place of Publication)	
01 5	Cameron et al., "Dendritic Cells Exposed to Human Immunod Cells," Science 257: 383-387 (1992);	eficiency Virus Type-1 Transmit a Vigorou	us Cytophathic Infection to CD4 ⁺ T
MAY 1 3 2002 56 3	Coroubon at al. "The Gene Pernonsible for a Severe Form of	Peripheral Neuropathy and Agenesis of th	e Corpus Callosum Maps to
57ª C	Chamberlin et al., "New RNA Polymerase from Escherichia co	oli infected with Bacteriophage T7," Natur	e 228:227-231 (1970);
SAC TRADEMAS	Chomczynski and Sacchi, "Single-Step Method of RNA Isolati Biochem. 162: 156-159 (1987);	ion by Acid Guanidinium Thiocyanate-Phe	nol-Chloroform Extraction," Anal.
59	Chumakov et al., "Continuum of overlapping clones spanning	the entire human chromosome 21q," Natur	re 359: 380-386 (1992);
60	Clarke, "Prader-Willi Syndrome and Psychoses," Brit. J. Psych	niat. 163: 680-684 (1993);	
61	Cole et al., "The EBV-Hybridoma Technique and its Applicati Reisfeld et al. (eds.), pp. 77-96, Alan R. Liss, Inc. (1985);	on to Human Lung Cancer," in Monoclona	al Antibodies and Cancer Therapy,
62	Conti-Tronconi et al., "Brain and muscle nicotinic acetylcholin U.S.A. 82: 5208-5212 (1985);	e receptors are different but homologous p	roteins," Proc. Natl. Acad. Sci.
63	Coon et al., "Search for Mutations in the β1 GABA _A Receptor (1994);	Subunit Gene in Patients with Schizophrei	nia," Am. J. Med. Genet. 54: 12-20
64	Coon et al., "Use of a Neurophysiological Trait in Linkage An	alysis of Schizophrenia," Biol. Psychiat. 3-	4: 277-289 (1993);
65	Cooper et al., "Pentameric structure and subunit stoichiometry	of a neuronal nicotinic acetylcholine recep	tor," Nature 350: 235-238 (1991);
66	Cote et al., "Generation of human monoclonal antibodies react (1983);	ive with cellular antigens," Proc. Natl. Aca	ad. Sci. U.S.A. 80: 2026-2030
67	Couturier et al., "A Neuronal Nicotinic Acetylcholine Receptor Subunit (\alpha7) Is Developmentally Regulated and Forms a Homo-Oligomer Channel Blocked by \alpha-BTX," Neuron 5: 847-856 (1990);		
68	Cullum et al., "Neurophysiological and neuropsychological evidence for attentional dysfunction in schizophrenia," Schizophrenia Res. 10: 131-141 (1993);		
69	Curiel et al., "High-Efficiency Gene Transfer Mediated by Adenovirus Coupled to DNA-Polylysine Complexes," Hum. Gene Ther. 3: 147-154 (1992);		
70	De Amicis et al., "Reaction Time Crossover as a Marker of Schizophrenia and of Higher Functioning," J. Nerv. Ment. Dis. 174: 177-179 (1986);		
71	deLeon et al., "Schizophrenia and Smoking: An Epidemiological Survey in a State Hospital," Am. J. Psychiat. 152: 453-455 (1995);		
72	Den-Dunnen et al., "Topography of the Duchenne Muscular Dystrophy (DMD) Gene: FIGE and cDNA Analysis of 194 Cases Reveals 115 Deletions and 13 Duplications," Am. J. Hum. Genet. 45: 835-847 (1989);		
73	Deneris et al., "Genes Encoding Neuronal Nicotinic Acetylchol	line Receptors," Clin. Chem. 35: 731-737 (1989);
74	Dijkema et al., "Cloning and expression of the chromosomal in	nmune interferon gene of the rat," EMBO.	J. 4:761-767 [1985];
75	Dominguez del Toro et al., "Immunocytochemical Localization Nervous System," J. Comp. Neurol. 349: 325-342 (1994);	of the α7 Subunit of the Nicotinic Acetyl	choline Receptor in the Rat Central
76	Dracopoli et al., Current Protocols in Human Genetics, John V Copyright pages at a later date should the Examiner desire		(1994) (Will provide Title and
77	Eaton, "Epidemiology of Schizophrenia," Epidemiol. Rev. 7: 10	05-126 (1985);	
78	Elgoyhen et al., "a9: An Acetylcholine Receptor with Novel Pl 705-715 (1994);	harmacological Properties Expressed in Ra	t Cochlear Hair Cells," Cell 79:
79	Erlich (ed.), PCR Technology, Stockton Press (1989);		
80	Endicott and Spitzer, "A Diagnostic Interview, The Schedule fo (1978);	or Affective Disorders and Schizophrenia,"	Arch. Gen. Psychiat. 35: 837-844
81	Erwin et al., "Midlatency Auditory Evoked Responses in Schiz	ophrenia," Biol. Psychiat. 30: 430-442 (19	91);
Examiner:		Date Considered:	
	tial citation considered. Draw line through citation if not in confo th next communication to applicant.	ormance and not considered. Include copy	of this form

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UTC-03042

Serial No.: 08/956,518

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)		Applicant: Sherry Leonard et al.	
(Ose Several Sneets It Necessary) (37 CFR § 1.98(b))		Filing Date: 10/23/97	Group Art Unit: 1645
OTHER DOCUMENTS ((Including Author, Title, Da	ate, Relevant Pages, Place of Publication)	
Felgner and Ringold, "Cationic lipo:	some-mediated transfection	," Nature 337: 387-388 (1989);	
Felgner et al., "Lipofection: A highlight (1987);	ly efficient, lipid-mediated	DNA-transfection procedure," Proc. Natl.	Acad. Sci. U.S.A. 84: 7413-7417
84 Freedman et al., "α-Bungarotoxin B Factor Expression," J. Neurosci. 13:	Binding to Hippocampal Int : 1965-1975 (1993);	erneurons: Immunocytochemical Character	ization and Effects on Growth
V >. &	nal dysfunctions in schizop	hrenia," Schiz. Res. 4: 233-243 (1991);	
1 1	1 Nicotinic Receptors," Har	vard Rev. Psychiat. 2: 179-192 (1994);	
Freedman et al., "Evidence in Postman et al.,	nortem Brain Tissue for De	creased Numbers in Hippocampal Nicotini	ic Receptors in Schizophrenia," Biol.
Frohman, Amplifications 5: 11 (1990 Examiner desire a copy.	0); Reference could not ol	btained at this time. Will provide refere	ence at a later date should the
69 Galzi et al., "Functional Architecture 72 (1991);	e of the Nicotinic Acetylch	oline Receptor: From Electric Organ to Br	ain," Ann. Rev. Pharmacol. 31: 37-
90 Goff et al., "Cigarette Smoking in S 1189-1194 (1992);	chizophrenia: Relationship	to Psychopathology and Medication Side	Effects," Am. J. Psychiat. 149:
91 Goff et al., "Neural Origins of Long Man," Prog. Clin. Neurophysiol. 7:		s Recorded from the Depth and from the C	Cortical Surface of the Brain in
92 Goldman et al., "Members of a Nico Central Nervous System," Cell 48: 9	Goldman et al., "Members of a Nicotinic Acetylcholine Receptor Gene Family Are Expressed in Different Regions of the Mammalian Central Nervous System," Cell 48: 965-973 (1987);		
93 Gorman et al., "The Rous sarcoma v DNA-mediated transfection," Proc. I	virus long terminal repeat is Natl. Acad. Sci. USA 79: 6	s a strong promoter when introduced into a 777-6781 [1982];	variety of eukaryotic cells by
94 Graham and van der Eb, "A New Te	echnique for the Assay of I	nfectivity of Human Adenovirus 5 DNA,"	Virology 52: 456-467 [1973];
95 Green, "Biochemical Mechanisms of	f Constitutive and Regulate	d Pre-mRNA Splicing," Ann. Rev. Cell. Bi	ol. 7: 559-599 (1991);
96 Griffith et al., "Effects of sound inte subjects," Psychophysiology 32: 460	Griffith et al., "Effects of sound intensity on a midlatency evoked response to repeated auditory stimuli in schizophrenic and normal subjects," Psychophysiology 32: 460-466 (1995);		
97 Hamera et al., "Alcohol, Cannabis, N (1995);	Nicotine, and Caffeine Use	and Symptom Distress in Schizophrenia,"	J. Nerv. Mental Dis. 183: 559-565
98 Harlow and Lane, Antibodies: A Lab	boratory Manual, Cold Spri	ing Harbor Laboratory Press, Cold Spring	Harbor, New York;
Hershman et al., "GABA _B antagonist 136 (1995);	ts diminish the inhibitory g	ating of auditory response in the rat hippor	campus," Neurosci. Lett. 190: 133-
Holzman et al., "A Single Dominant Twins," Arch. Gen. Psychiat. 45: 64		e Tracking Dysfunctions and Schizophreni	a in Offspring of Discordant
101 Hu and Worton, "Partial Gene Dupli	cation as a Cause of Huma	n Disease," Hum. Mutat. 1: 3-12 (1992);	
Huse et al., "Generation of a Large (1989);	Combinatorial Library of th	ne Immunoglobulin Repertoire in Phage La	mbda," Science 246: 1275-1281
103 Hyman, "Schizophrenia," in Scientifi	c American Medicine, 13 \	/II: 1-5, Dale and Federman (eds.), New Y	ork, New York (1994);
104 Judd et al., "Sensory Gating Deficits	in Schizophrenia: New Re	sults," Am. J. Psychiat. 149: 488-493 (199)2);
105 Kacian et al., "A Replicating RNA N Sci. USA 69: 3038-3042 [1972];	Molecule Suitable for a Det	ailed Analysis of Extracellular Evolution a	nd Replication," Proc. Natl. Acad.
Kaplitt et al., "Expression of a Funct Type 1 Defective Viral Vector," Mol		olt Mammalian Brain following <i>in Vivo</i> Tra 0 (1991);	insfer via a Herpes Simplex Virus
107 Kim et al., "Use of the human elong.	ation factor 1α promoter as	s a versatile and efficient expression system	m," Gene 91:217-223 [1990];
108 Kohler and Milstein, "Continuous cu	ltures of fused cells secreti	ng antibody of predefined specificity," Nat	ure 256: 495-497 [1975];
Examiner:		Date Considered:	
EXAMINER: Initial citation considered. Draw line thro with next communication to applicant.	ough citation if not in confo	rmance and not considered. Include copy	of this form

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UTC-03042

Serial No.: 08/956,518

(Modified)		ratellit allu Trauelliaik Office		
INFORM		DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)	Applicant: Sherry Leonard et al.	
(37 CFR § 1.98(b))			Filing Date: 10/23/97	Group Art Unit: 1645
OIPE	$\overline{}$	OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)	
/	09	Kozbor et al., "The production of monoclonal antibodies from	human lymphocytes," Immun. Today 4: 72	2-79 (1983);
to ''''	ogz (Kruglyak et al., "Parametric and Nonparametric Linkage Anal (1996);	ysis: A Unified Multipoint Approach," Am.	J. Hum. Genet. 58: 1347-1363
	11	Kuo et al., "Efficient Gene Transfer Into Primary Murine Lym	phocytes Obviating the Need for Drug Sel	ection," <i>Blood</i> 82: 845-852 (1993
TRADE	MARIE	Lamond, "The Spliceosome," BioEssays 15: 595-603 (1993);		
1		La Salle et al., "An Adenovirus Vector for Gene Transfer into	Neurons and Glia in the Brain," Science 2	59: 988-990 (1993);
1	14	Lathrop et al., "Strategies for multilocus linkage analysis in hu	ımans," Proc. Natl. Acad. Sci. U.S.A. 81: 3	443-3446 (1984);
1		Lebkowski et al., "Adeno-Associated Virus: a Vector System Mammalian Cell Types," Mol. Cell. Biol. 8: 3988-3996 (1988)		DNA into a Variety of
1	16	Lehrman et al., "Duplication of Seven Exons in LDL Receptor Hypercholesterolemia," Cell 48: 827-835 (1987);	r Gene Caused by Alu-Alu Recombination	in a Subject with Familial
1	17	Lindstrom et al., "Neuronal Nicotinic Receptor Subtypes," Ann	n. NY Acad. Sci. 757: 100-116 (1996);	
1	18	Lukas and Bencherif, "Heterogeneity and Regulation of Nicoti	nic Acetylcholine Receptors," Int. Rev. New	urobiol. 34: 25-131 (1992);
1	19	Luntz-Leybman et al., "Cholinergic gating of response to audi	tory stimuli in rat hippocampus," Brain. Re	s. 587: 130-136 (1992);
1		Machy et al., "Gene transfer from targeted liposomes to specif 8031 (1988);	ic lymphoid cells by electroporation," Proc	. Natl. Acad. Sci. U.S.A. 85: 802
1		Mäkelä et al., "Whole-head mapping of middle-latency auditor 421 (1994);	ry evoked magnetic fields," Electroencepha	logr. Clin. Neurophysiol. 92: 41
1	22	Maniatis et al., "Regulation of Inducible and Tissue-Specific C	Gene Expression," Science 236: 1237-1244	(1987);
123		Mann et al., "Construction of a Retrovirus Packaging Mutant a (1983);	and Its Use to Produce Helper-Free Defecti	ve Retrovirus," Cell 33: 153-159
Markowitz et al., "A Safe Packaging Line for Gene Transfer: Separating Viral Genes on Two Different Plasmids," (1988);			lasmids," J. Virol. 62: 1120-112	
1:	25	Marks and Collins, "Characterization of Nicotine Binding in M Quinuclidinyl Benzilate," Mol. Pharmacol. 22: 554 (1982);	louse Brain and Comparison with the Bindi	ing of α-Bungarotoxin and
1		Marks et al., "Nicotinic Binding Sites in Rat and Mouse Brain Pharmacol. 30: 427-437 (1986);	: Comparison of Acetylcholine, Nicotine, a	nd α-Bungarotoxin," <i>Mol</i> .
1.		Matter-Sadzinski et al., "Neuronal specificity of the α7 nicotinic acetylcholine receptor promoter develops during morphogenesis of the central nervous system," EMBO J. 11: 4529-4538 (1992);		
1:		Maue et al., "Neuron-Specific Expression of the Rat Brain Type II Sodium Channel Gene Is Directed by Upstream Regulatory Elements," Neuron 4: 223-231 (1990);		
1:		Melissari et al., "Mitral valve prolapse in a case of Marfan syndrome with congenital cardiac disease, chronic obstructive pulmonary disease and schizophrenia," Pathologica 87: 78-81 (1995);		
l	30	Miller et al., "A simple salting out procedure for extracting DNA from human nucleated cells," Nucl. Acids Res. 16: 1215 (1988);		
1.	31	Miller and Rosman, "Improved Retroviral Vectors for Gene Transfer and Expression," BioTechniques 7: 980-990 (1992);		
1		Miller and Freeman, "The Activity of Hippocampal Interneuron Auditory Stimuli," <i>Neurosci.</i> 69: 371-381 (1995);	ns and Pyramidal Cells During The Respon	se of the Hippocampus to Repea
1	33	Mizushima and Nagata, "pEF-BOS, a powerful mammalian ex	pression vector," Nucl. Acids. Res. 18:5322	(1990);
1		Nagamoto et al., "Sensory Gating in Schizophrenics and Norm 549-561 (1989);	nal Controls: Effects of Changing Stimulation	on Interval," Biol. Psychiat. 25:
	35	Nagamoto et al., "Gating of Auditory P50 in Schizophrenics: I	Unique Effects of Clozapine," Biol. Psychia	ut. 40: 181-188 (1996);
1				
1: Examiner:			Date Considered:	

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UTC-03042

Serial No.: 08/956,518

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

Applicant: Sherry Leonard et al.

(37 CFR § 1.9	98(b))		Filing Date: 10/23/97	Group Art Unit: 1645
100		OTHER DOCUMENTS (Including Author, Title, Da	ate, Relevant Pages, Place of Publication)	
QILE	236	Newland et al., "Functional and non-functional isoforms of the	human muscle acetylcholine receptor," J.	Physiol. 489: 767-778 (1995);
	Nielsen et al., "Peptide nucleic acids (PNAs): Potential anti-sense and anti-gene agents," Anticancer Drug Des. 8:53-63 (1993)			Des. 8:53-63 (1993);
1AY 1 3 ZU	1308	Orr-Urtreger et al., "Cloning and Mapping of the Mouse α7-N	euronal Nicotinic Acetylcholine Receptor,"	Genomics 26: 399-402 (1995);
	6 39	Ott, Analysis of Human Genetic Linkage, Johns Hopkins Unive	ersity Press, Baltimore (1991);	
RADEMA	140	Ott, "Computer-simulation methods in human linkage analysis,	" Proc. Natl. Acad. Sci. U.S.A. 86: 4175-2	178 (1989);
	141	Patrick et al., "Molecular Biology of Nicotinic Acetylcholine R		
	142	Pauly et al., "Glucocorticoid Regulation of Sensitivity to Nicot (eds.), pp. 121-139, Raven Press, New York (1992);	ine," in The Biology of Nicotine: Current I	Research Issues, Lippiello et al.
	143	Peng et al., "Human α7 Acetylcholine Receptor: Cloning of th Pharmacological Properties of Native Receptors and Functional (1994);	e α7 Subunit from the SH-SY5Y Cell Line I α7 Homomers Expressed in <i>Xenopus</i> Ood	e and Determination of cytes," Mol. Pharm. 45: 546-554
	144	Pulver et al., "Follow-Up of a Report of a Potential Linkage fo 54: 44-50 (1994);	or Schizophrenia on Chromosome 22q12-q1	3.1: Part 2," Am. J. Med. Genet.
	145	Research Disclosure 371005 (1995);		
	146	Risch, "Genetic Linkage and Complex Diseases, With Special Reference to Psychiatric Disorders," Genet. Epidemiol. 7: 3-16 (1990);		
	147	Rollins et al., "Cellular Localization of α-Bungarotoxin Binding Awake, Behaving Rat," Soc. Neurosci. Abst. 22: 1272 (1996);	g and α7 mRNA in the Hippocampus Rela	ted to Auditory Gating in the
	148	Saksela et al., "Human immunodeficiency virus type 1 mRNA independently of the numbers of CD4' lymphocytes," Proc. Na	expression in peripheral blood cells predictal. Acad. Sci. U.S.A. 91: 1104-1108 (1994)	ts disease progression
	149	Saksela et al., "High Viral Load in Lymph Nodes and Latent F Infected Chimpanzees," J. Virol. 67: 7423-7427 (1993);	Human Immunodeficiency Virus (HIV) in P	reripheral Blood Cells of HIV-1
	150	Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd ed., pp. 7.39-7.52, 9.31-9.58, 16.6-16.15, Cold Spring Laboratory Press, New York (1989);		
	151	Samulski et al., "A Recombinant Plasmid from Which an Infec To Study Viral Replication," J. Virol. 61: 3096-3101 (1987);	tious Adeno-Associated Virus Genome Car	n Be Excised In Vitro and Its Us
	152	Samulski et al., "Helper-Free Stocks of Recombinant Adeno-Associated Viruses: Normal Integration Does Not Require Viral Gene Expression," J. Virol. 63: 3822-3828 (1989);		
	153	Sauerwald et al., "The 5'-Flanking Region of the Synapsin I G	ene," J. Biol. Chem. 265: 14932-14937 (19	990);
	154	Schmid, "Alu: Structure, Origin, Evolution, Significance and Fu (1996);	unction of One-Tenth of Human DNA," Pr	og. Nucl. Acid Res. 53: 283-319
	155	Schoepfer et al., "Brain α-Bungarotoxin Binding Protein cDNA Channel Gene Superfamily," Neuron 5: 35-48 (1990);	As and MAbs Reveal Subtypes of This Bran	nch of the Ligand-Gated Ion
	156	Séguéla et al., "Molecular Cloning, Functional Properties, and to Calcium," J. Neurosci. 13: 596-604 (1993);	Distribution of Rat Brain α7: A Nicotinic C	Cation Channel Highly Permeable
!	157	Sham et al., "Segregration analysis of complex phenotypes: an 29-38 (1994);	application to schizophrenia and auditory I	2300 latency," Psychiat. Genet. 4
	158	Siegel et al., "Deficits in Sensory Gating in Schizophrenic Patie Responses," Arch. Gen. Psychiat. 41: 607-612 (1984);	ents and Their Relatives, Evidence Obtaine	d With Auditory Evoked
	159	Silverman et al., "Evidence of a Locus for Schizophrenia and F Am. J. Med. Genet. 67: 162-171 (1996);	Related Disorders on the Short Arm of Chro	omosome 5 in a Large Pedigree,
	160	Sirota et al., "Schizophrenia and Marfan Syndrome," Br. J. Psy	ochiat. 157: 433-436 (1990);	
	161	Spitzer et al., "Research Diagnostic Criteria, Rationale and Reli	ability," Arch. Gen. Psychiat. 35: 773-782	(1978);
xaminer:			Date Considered:	

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UTC-03042

Applicant: Sherry Leonard et al.

Serial No.: 08/956,518

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

(37 CFR § 1.9	98(b))		,Filing Date: 10/23/97	Group Art Unit: 1645	
SPE		OTHER DOCUMENTS (Including Author, Title, Da	ate, Relevant Pages, Place of Publication)		
0	€ 1899	Stratford-Perricaudet et al., "Widespread Long-term Gene Tran (1992);	nsfer to Mouse Skeletal Muscles and Heart	" J. Clin. Invest. 90: 626-630	
MAY 1 3 200	163	Tsuang et al., "Long-term Outcome of Major Psychoses I. Sc Free Surgical Conditions," Arch. Gen. Psychiat. 36: 1295-130	hizophrenia and Affective Disorders Comp 1 (1979);	ared with Psychiatrically Sympton	
	€ 164	Tsuang et al., "Genotypes, Phenotypes, and the Brain, A Searce	ch for Connections in Schizophrenia," Brit.	J. Psychiat. 163: 299-307 (1993)	
MAY 1 3 ZUI	165	Uetsuki et al., "Isolation and Characterization of the Human C Chem. 264:5791 [1989];	hromosomal Gene for Polypeptide Chain E	longation Factor-1α," J. Biol.	
	166	Ulmer et al., "Heterologous Protection Against Influenza by In	jection of DNA Encoding a Viral Protein,"	Science 259: 1745-1748 (1993);	
	167	Vinogradova et al., "Do Semantic Priming Effects Correlate w	ith Sensory Gating in Schizophrenia," Biol.	Psychiat. 39: 821-824 (1996);	
	168	Vinogradova, in The Hippocampus 2: Neurophysiology and Be York (1975)	ehavior, Issacson and Pribram (eds.), pp. 3	-69, Plenum Press, New York, Ne	
	169	von Heijne, "A new method for predicting signal sequence clear	avage sites," Nuc. Acids Res. 14: 4683-469	0 (1986);	
	170	Voss et al., "The role of enhancers in the regulation of cell-type	pe-specific transcriptional control," Trends I	Biochem. Sci. 11:287-289 [1986];	
	171	Wada et al., "Distribution of Alpha2, Alpha3, Alpha4, and Bet System: A Hybridization Histochemical Study in the Rat," J. C	ta2 Neuronal Nicotinic Receptor Subunit m Compar. Neurol. 284: 314-335 (1989);	RNAs in the Central Nervous	
	172	Waldo et al., "Codistribution of a Sensory Gating Deficit and S	Schizophrenia in Multi-affected Families,"	Psychiat. Res. 39: 257-268 (1991)	
	173	Waldo et al., "Auditory sensory gating, hipppocampal volume, Schizophr. Res. 12: 93-106 (1991);	and catecholamine metabolism in schizopl	nrenics and their siblings,"	
	174	Wang et al., "Evidence for a susceptibility locus for schizophre	enia on chromosome 6pter-p22," Nature Ge	enet. 10: 41-46 (1995);	
	175	Williams et al., "Introduction of foreign genes into tissues of li 2726-2730 (1991);	iving mice by DNA-coated microprojectiles	," Proc. Natl. Acad. Sci. U.S.A. 8	
	176	Wilson et al., "Habituation of Human Limbic Neuronal Respor	Response to Sensory Stimulation," Exp. Neurol. 84: 74-97 (1984);		
	177	Wilson et al., "Hepatocyte-directed Gene Transfer in Vivo Lea Lipoprotein Receptor-deficient Rabbits," J. Biol. Chem. 267: 90		esterolemia in Low Density	
	178	Wonnacott, "α-Bungarotoxin Binds to Low-Affinity Nicotine E	Binding Sites in Rat Brain," J. Neurochem.	47: 1706-1712 (1986);	
	179	Wu and Wallace, "The Ligation Amplification Reaction (LAR) Template-Dependent Ligation," Genomics 4:560-569 [1989];	Amplification of Specific DNA Sequence	ces Using Sequential Rounds of	
	180	Wu and Wu, "Receptor-mediated Gene Delivery and Expression	on in Vivo," J. Biol. Chem. 263: 14621-146	24 (1988);	
	181	Wu and Wu, "Receptor-mediated in Vitro Gene Transformation	n by a Soluble DNA Carrier System," J. Bi	ol. Chem. 262: 4429-4432 (1987)	
	182	Zhang et al., "Neuronal Acetylcholine Receptors That Bind α-I Neuron 12: 167-177 (1994).	Bungarotoxin with High Affinity Function	as Ligand-Gated Ion Channels,"	
	183	Chini et al., "Molecular Cloning and Chromosomal Localizatio 19: 379-381 (1994);	n of the Human α7-Nicotinic Receptor Sub	ounit Gene (CHRNA7)," Genomic	
	184	Doucette-Stamm et al., "Cloning and Sequence of the Human of	α7 Nicotinic Acetylcholine Receptor," Drug	g Dev. Res. 30: 252-256 (1993);	
	185	Garcia-Guzman et al., "α-Bungarotoxin-sensitive Nicotinic Rec Expression and Alternative Splicing of the α7 Subunit," Eur. J		ular Cloning, Functional	
	186	Anand and Lindstrom, "Nucleotide sequence of the human nice (1990);	otinic acetylcholine receptor β2 subunit ger	ne," Nuc. Acids Res. 18: 4272	
	187	Deneris et al., "Primary Structure and Expression of β2: A No. (1988);	vel Subunit of Neuronal Nicotinic Acetylch	oline Receptors," Neuron 1: 45-5	
	188	Fornasari et al., "Structural and Functional Characterization of 261 (1997);	the Human α3 Nicotinic Subunit Gene Pro	moter," Mol. Pharmacol. 51: 250	
	189	Fornasari et al., "Molecular cloning of human neuronal nicotin	ic receptor α3-subunit," Neurosci. Lett. 111	: 351-356 (1990);	
examiner:			Date Considered:		

U.S. Department of Commerce FORM PTO-1449 Serial No.: 08/956,518 Attorney Docket No.: UTC-03042 (Modified) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT Applicant: Sherry Leonard et al. (Use Several Sheets If Necessary) Group Art Unit: 1645 Filing Date: 10/23/97 OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Breese et al., "Comparison of the Regional Expression of Nicotinic Acetylcholine Receptor α7 mRNA and [125]-α-bungarotoxin binding in Human Postmortem Brain," J. Comp. Neurol. 387: 385-398 (1997); MAY 13 RADEN Leonard et al., "Linkage of a chromosome 15 locus to a neurophysiological deficit in schizophrenia," Am. J. Human Genet. 59: A225 (1996);Leonard et al., "Genomic Structure of the Human a7 Neuronal Nicotinic Acetylcholine Receptor Subunit," Abstracts, Society for 192 Neuroscience, 27th Annual Meeting, October 25-30 (1997); Freedman et al., "Linkage of a neurophysiological deficit in schizophrenia to a chromosome 15 locus," Proc. Natl. Acad. Sci. U.S.A. 94: 193 Logel et al., "Expression of High and Low Affinity Neuronal Nicotinic Receptors in Tissues of Neural Crest Origin," Abstracts, Society for 194 Neuroscience, 27th Annual Meeting, October 25-30 (1997); Breese et al., "Abnormal Regulation of High Affinity Nicotinic Receptor Binding in Schizophrenics," Abstracts, Society for Neuroscience, 195 27th Annual Meeting, October 25-30 (1997); Gault et al., "Contig construction across the 15q14 schizophrenia linkage region and candidate gene characterization of the partially 196 duplicated a7 nicotinic receptor," Am. J. Human Genet. 63: A249 (1998); Leonard et al., "Additional evidence for a chromosome 15 locus in schizophrenia: Analysis of affected sibpairs from the NMH genetics 197 initiative," Am. J. Human Genet. 63: A297 (1998); Zetterström et al., "Polymorphisms at the Calcitonin/CGRP-α Gene Locus: Investigation of Possible Associations with Neurological or 198 Psychiatric Disease," Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998); Drebing et al., "Expression of the Human a7 Neuronal Nicotinic Acetylcholine Receptor and a Partial Gene Duplication," Abstracts, Society 199 for Neuroscience, 28th Annual Meeting, November 7-12 (1998); Leonard et al., "Genomic Organization and Partial Duplication of the Human α7 Neuronal Nicotinic Acetylcholine Receptor Subunit Gene," 200 Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998); Dudek et al., "Expression in Human Brain of Novel Exons Associated with a Partial Duplication of the a7 Neuronal Nicotinic Receptor," 201 Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998); Breese et al., "Abnormal Regulation of the High Affinity Nicotinic Receptors in Schizophrenia," Abstracts, Society for Neuroscience, 28th 202 Annual Meeting, November 7-12 (1998); Lee et al., "The Effect of Nicotine and Haloperidol on High Affinity Nicotinic Receptors and Dopamine D2 Receptors in the Rat Brain," 203 Abstracts, Society for Neuroscience, 28th Annual Meeting, November 7-12 (1998); Adler et al., "Schizophrenia, Sensory Gating, and Nicotinic Receptors," Schizophrenia Bulletin 24: 189-202 (1998); 204 Leonard et al., "Further Investigation of a Chromosome 15 Locus in Schizophrenia: Analysis of Affected Sibpairs From the NIMH Genetics 205 Initiative," Am. J. Med. Genet. 81: 308-312 (1998) Gault et al., "Genomic Organization and Partial Duplication of the Human a7 Neuronal Nicotinic Acetylcholine Receptor Gene (CHRNA7), 206 Genomics 52: 173-185 (1998) Examiner: Date Considered:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form

EXAMINER:

with next communication to applicant.